

# MATERIAL SAFETY DATA SHEET

CUSTOM CHEMICALS INTERNATIONAL PTY LTD

103-107 Potassium Street, Narangba QLD 4504 Telephone: 07 3204 8300

Date of Issue: 13/4/05

Facsimile: 07 3204 8311

## PRODUCT : LEMON BLOCKETTES

CLASSIFIED AS HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA.

Product Code: 0050540

Other names: N/A

UN Number:	Not regulated	Shipping Name:	None allocated
Hazchem Code:	None allocated	DG Class :	Not regulated
Subsidiary Risk:	None allocated	Poison Schedule:	5
Packaging Group:	None allocated		

### PHYSICAL DESCRIPTION/PROPERTIES

Use:	Perfumed, insecticidal urinal blockettes.		
Appearance :	Yellow, compressed cylindrical blocks	Odour :	Fruity, aromatic odour
Specific Gravity:	Not applicable	Vapour Pressure:	76 mm Hg
Solubility in water:	insoluble	Flash Point :	67 C
Boiling/Melting Points:	53 deg C MPt.	Flammability Limits :	Not applicable
Other Properties:	Nil	PH :	

### INGREDIENTS

Chemical	CAS Number	Proportion (w/w)
(1,4) Para-dichlorobenzene	106-46-7	>60%
Fragrance oil		<10%
Colouring dye		<10%

### FIRST AID:

<b>Swallowed:</b>	If swallowed, induce vomiting by using Ipecac syrup. If unavailable, fingers down throat. Seek medical attention.
<b>Eye:</b>	Immediately irrigate with copious quantities of water for at least 15 minutes. Seek medical attention.
<b>Skin Contact:</b>	Remove contaminated clothing and wash affected area thoroughly with soap and water.
<b>Inhaled:</b>	Remove to fresh air. Seek medical attention. If respiration stops, give mouth to mouth resuscitation.
<b>First Aid Facilities:</b>	No special requirements
<b>Advice to Doctor:</b>	Treat symptomatically. The product has low toxicity

### WORKSAFE AUSTRALIA CLASSIFICATION

CATEGORY :	Xn - Harmful
RISK PHRASES :	R22 Harmful if swallowed
SAFETY STATEMENT:	S2 Keep out of reach of children. S24/25 Avoid contact with skin and eyes.

**PRODUCT: LEMON BLOCKETTES**

**HEALTH EFFECTS**

**ACUTE:**

<b>Swallowed:</b>	Moderately toxic. LD50 (rat) 2-3 g/kg.
<b>Eye:</b>	Mild irritating vapours.
<b>Skin Contact:</b>	Essentially non irritating, but may produce burning sensation. Not likely to be absorbed in acutely toxic amounts. LD50 > 6g/kg (dermal)
<b>Inhaled:</b>	Irritating if inhaled.

**CHRONIC:** No data.

---

**PRECAUTIONS FOR USE:**

<b>Exposure Standards:</b>	OSHA 75 ppm. 8 hour. TWA STEL 110ppm.
<b>Engineering Controls:</b>	Ensure adequate ventilation.
<b>Personal Protection:</b>	Use good Occupational work practice. The use of protective clothing and equipment depends on the degree and nature of exposure. Not required for traditional use of deodorant blockettes.
<b>Flammability:</b>	Avoid ignition source or naked flame. For emergencies wear a self contained breathing apparatus or full face respirator.

---

**SAFE HANDLING INFORMATION :**

<b>Storage and Transport:</b>	Not defined as a Dangerous Good by the Australian Code for the Transport of Dangerous Goods by Rail and Road. Store in a cool, dry place and out of direct sunlight. Store in a well ventilated area. Keep dry – keep containers closed at all times.
<b>Spills and Disposal:</b>	Prevent large spills from entering sewer systems, waterways, etc. Sweep up , collect and seal in properly labelled containers for disposal. Disposal – Refer to State Land Waste Management Authority. Normally suitable for disposal at approved land waste site.
<b>Fire/Explosion:</b>	Extinguishing media: Water fog, foam, alcohol foam, CO2, dry chemical. Wear self contained breathing apparatus.
<b>Other information:</b>	Water may be used to blanket a fire.

---

**CONTACT POINT: Industrial Chemist - phone: 07 3204 8300**

This material safety data sheet is compiled from the best information currently available to the company. The company accepts no responsibility for the accuracy of the information contained in this data sheet, or any results obtained by customers or end-users. Good industrial hygiene should always be used when handling chemicals.

**END OF MSDS**